

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.


Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

## A new name for a Hawaiian fern\*

## WILLIAM R. MAXON

The fern illustrated in the accompanying figures is a Hawaiian species of *Polypodium*, *P. minimum* Brack.,



POLYPODIUM SAFFORDII Maxon a, natural size; b, three times natural size.

which, on account of an earlier use of the same name by Aublet for a South American plant, must be renamed. It may be known as:

## Polypodium Saffordii Maxon nom. nov.

Polypodium minimum Brack. U. S. Expl. Exped. 16: 5. 1854; not Aubl. 1775.

Type locality: "Mountains behind Honolulu, Oahu." DISTRIBUTION: Known only from the Hawaiian Islands.

\*Published by permission of the Secretary of the Smithonian Institution.

ILLUSTRATION: U. S. Expl. Exped. 16: pl. 1. f. 3.

The following specimens\* have been examined:

Oahu: On and near the summit of Konahuanui, Heller 2905 (N, Y, M). Mountains behind Honolulu, Wilkes Exped. (N, Y, E). Without locality, altitude 3000-4000 ft., Mann & Brigham 550 (N, G, E, M); altitude 2000 ft., Baldwin (E).

HAWAII: Without locality, Lichtenthaler (N).

Kanai: Trunks of trees, altitude 3000 ft., Baldwin (E). Without locality, Hillebrand (Y).

In addition are several specimens (Y, N), collected by Baldwin (no. 85) and by Hillebrand, marked merely "Hawaiian Islands."

The relationship of *P. Saffordii* is with *P. serrulatum* (Sw.) Mett., a diminutive tropical American species which occurs also in Africa. The status of this and several allied species will shortly be discussed in a more extended paper.

Figure a represents a plant at natural size; figure b represents sections of a frond at three times natural size. All are drawn from Heller's 2905 in the U. S. National Herbarium.

The name is given in honor of Mr. W. E. Safford, of Washington, D. C., whose collections, made during his service in the U. S. Navy, have been generously donated to the U. S. National Herbarium.

Washington, D. C.

\*E = D. C. Eaton Herbarium, at Yale University; G = Gray Herbarium, Harvard University; M = herbarium of the Missouri Botanical Garden; N = U. S. National Herbarium; Y = Underwood Fern Herbarium, New York Botanical Garden.